

MALE LUER:

Slip, or for use with Lock Ring

FSLLR (-1 -2 -3 -4 -5 -6005 -07 -9 -9002)

Finger Snap Luer Lock Ring



MLRL004 (-1 -6005)

Male Luer to 500 Series Barb, 1/16" (1.6 mm) ID Tubing (May be used with separate rotating lock ring; FSLLR)



MLRL007 (-1 -6005 -6012)

Male Luer to 500 Series Barb, 3/32" (2.4 mm) ID Tubing (May be used with separate rotating lock ring; FSLLR)



MLSL007 (-9)

Male Luer to 500 Series Barb, 3/32" (2.4 mm) ID Tubing (May be used with separate stationary lock ring; FSLLR)



MLRL013 (-1 -6005 -9)

Male Luer to 500 Series Barb, 1/8" (3.2 mm) ID Tubing (May be used with separate rotating lock ring; FSLLR)



MLSL013 (-6005)

Male Luer to 500 Series Barb, 1/8" (3.2 mm) ID Tubing (May be used with separate stationary lock ring; FSLLR)



MLRL025 (-1 -6005 -9)

Male Luer to 500 Series Barb, 5/32" (4.0 mm) ID Tubing (May be used with separate rotating lock ring; FSLLR)



MLRL035 (-1 -6005 -9)

Male Luer to 500 Series Barb, 3/16" (4.8 mm) ID Tubing (May be used with separate rotating lock ring; FSLLR)



MLRL055 (-1 -9)

Male Luer to 500 Series Barb, 1/4" (6.4 mm) ID Tubing (May be used with separate rotating lock ring; FSLLR)



Need Samples for Evaluation?

You can call to request most of our standard product in quantities of 5, or less, for free application evaluation.

+1 (970) 267-5200 Toll Free: (888) 404-5837

It's a Lock with Nordson MEDICAL!

Our MLRL and MLSL Series of fittings can be used both as a slip luer or as a locking luer with the addition of our FSLLR luer lock ring, which allows color coding without flow path contact. Our MLSL/FSLLR combination results in a stationary lock ring. Use a combination of MLRL and FSLLR to create a color coded rotating lock ring.



The MLRL allows FSLLR/lock ring rotation

The MLSL has flanges which lock into the FSLLR, preventing rotation

Used together, you can create a color coded male luer with lock ring

MALE LUER:

Slip

MTLS210 (-1 -6005)

Male Luer Slip to 200 Series Barb, 1/16" (1.6 mm) ID Tubing

**MSL004 (-1 -9 -9002)**

Male Luer Slip to 500 Series Barb, 1/16" (1.6 mm) ID Tubing

**MTLS220 (-1 -5 -6005 -6012 -9)**

Male Luer Slip to 200 Series Barb, 3/32" (2.4 mm) ID Tubing

**MSL007 (-9)**

Male Luer Slip to 500 Series Barb, 3/32" (2.4 mm) ID Tubing

**MTLS230 (-1 -3 -5 -6005 -9002 -J2A)**

Male Luer Slip to 200 Series Barb, 1/8" (3.2 mm) ID Tubing

**MSL013 (-9)**

Male Luer Slip to 500 Series Barb, 1/8" (3.2 mm) ID Tubing

**MTLS240 (-1 -81 -J2A)**

Male Luer Slip to 200 Series Barb, 5/32" (4.0 mm) ID Tubing

**MSL035 (-9002)**

Male Luer Slip to 500 Series Barb, 3/16" (4.8 mm) ID Tubing

**FEMALE LUER:**

Thread Style

FTLL210 (-1 -3 -5 -6005 -9 -9002 -J2A)

Female Luer Thread Style to 200 Series Barb, 1/16" (1.6 mm) ID Tubing

**FTLL410 (-1 -6005)**

Female Luer Thread Style to 400 Series Barb, 1/16" (1.6 mm) ID Tubing

**FTLL004 (-1 -6005 -9)**

Female Luer Thread Style to 500 Series Barb, 1/16" (1.6 mm) ID Tubing

**FTLL220 (-1 -3 -5 -6005 -9 -J2A)**

Female Luer Thread Style to 200 Series Barb, 3/32" (2.4 mm) ID Tubing

**FTLL420 (-1 -9 -J2A)**

Female Luer Thread Style to 400 Series Barb, 3/32" (2.4 mm) ID Tubing

**FTLL007 (-2 -4 -06 -6005 -9)**

Female Luer Thread Style to 500 Series Barb, 3/32" (2.4 mm) ID Tubing

**FTLL230 (-1 -2 -3 -6005 -9 -9002 -J2A -CM550)**

Female Luer Thread Style to 200 Series Barb, 1/8" (3.2 mm) ID Tubing

**FTLL430 (-6005 -9002 -J2A)**

Female Luer Thread Style to 400 Series Barb, 1/8" (3.2 mm) ID Tubing

**FTLL013 (-1 -2 -3 -4 -5 -6005 -9002)**

Female Luer Thread Style to 500 Series Barb, 1/8" (3.2 mm) ID Tubing

