

AquaMetix® Slimline Candle

AquaMetix® is designed to provide the highest quality drinking water possible from a single stage block filter. This very unique adsorbent will adsorb and/or exchange a variety of organic and inorganic substances; including most heavy metals, chlorine and nitrogen compounds including ammonia, urea and most specifically chloramines. This filter will reduce a wide variety of drinking water contaminants of both aesthetic and health concern. The dense pore structure and vast surface area is ideally suited to improving taste and odor, color, chemicals, MTBE and fluoride. AquaMetix® combines the highest FDA-compliant raw materials, all of which are NSF 61 certified independently, with cutting-edge manufacturing methods resulting in unparalleled performance.

- Maximum working pressure 125 psig
- Maximum working temperature 100° F
- Minimum working temperature 40° F
- Recommended flow rate5 to 1.0 GPM
- Recommended change frequency every 12 months

Performance Data

- 1 Micron Nominal
- Chloramine reduction >99%
- Lead reduction >99%
- Chlorine reduction >99%
- Fluoride reduction 90%
- VOC—Volatile Organic Compounds >98%
- Metals—Aluminum, Iron, Mercury, Nickel & Zinc >98%
- MTBE reduction >97%
- Arsenic reduction >95%
- Glyphosate reduction >99.9%
- Pharmaceutical compounds reduction >95%
- Nitrates reduction >92%
- Herbicides reduction >99%

Capacity

1750 gallons/6600 liters—Chloramine

1150 gallons/4350 liters—Lead

Sizes

9" Slimline with short mount

Application

AquaCera® Pressure Systems

Part Number

CF-AMB-9S

Tested to meet NSF Standards 42 & 53

Manufactured in the USA

