

NSF/ANSI 169 Certified

Nordson MEDICAL's National Sanitation Foundation (NSF) certified components are produced from materials that comply with standards for potable water and food-contact applications. We are now proud to offer the following quick connect series containing NSF 51 Acetal, NSF 61 Buna-N and NSF 61 EPDM certified materials, along side Polypropylene and Polysulfone.

FEATURES & BENEFITS

- Legacy metal and advanced plastic thumb-latch couplings available with hose barb and threaded terminations
- Resistant to most mild chemicals
- Intuitive, easy-to-use design
- Audible click when coupled
- Strong, panel-mount designs
- Available with internal shut-off valves or straight-through designs
- Interconnect with each other and with similar industry thumb-latch couplings



SPECIFICATIONS

• Materials:

- NSF 51 Acetal (POM)
- NSF 61 Buna-N
- NSF 61 EPDM
- Food Grade Chrome/Brass
- Food Grade Polypropylene
- Food Grade Udel® Polysulfone
- Stainless Steel

Operating Pressure:

• Vacuum to 60psi; (4.2bar) - 250psi; (17.3bar)

• Temperature:

• -40°F to 180°F; (-40°C to 82°C)

• Flow Capacity:

• 1/8" to 1/2" (3.2 mm to 12.7mm)

• Tubing Sizes:

• 1/16" (1.6 mm) - 1/2" (12.7 mm)

NSF Certified Series



20 SERIES QUICK CONNECT COUPLINGS



20AC-S3-02N3 LinkTech 20AC Series Panel Mt. Female, Non-valved, 1/8" HB NSF 51 Acetal



20ACV-PB2-02N3 LinkTech 20AC Series Straight Male, Valved, 1/8" HB NSF 51 Acetal, NSF 61 Buna N



20CBV-SB1-04N3 LinkTech 20CB Series Male Thread Female, Valved, 1/4" MNPT Chrome Brass, NSF 61 Buna N

40 SERIES QUICK CONNECT COUPLINGS



40ACV-PB2-06N3 LinkTech 40AC Series Straight Male, Valved, 3/8" HB NSF 51 Acetal, NSF 61 Buna N



40ACV-SB2-04N3 LinkTech 40AC Series Straight Female, Valved, 1/4" HB NSF 51 Acetal, NSF 61 Buna N



40ACV-PB4-04N3 LinkTech 40AC Series Elbow Male, Valved, 1/4" HB NSF 51 Acetal, NSF 61 Buna N



40ACV-PB3-04N3 LinkTech 40AC Series Panel Mt. Male, Valved, 1/4" HB NSF 51 Acetal, NSF 61 Buna N



40ACV-SB3-04N3 LinkTech 40AC Series Panel Mt. Female, Valved, 1/4" HB NSF 51 Acetal, NSF 61 Buna N



40CB-PB4-04N3 LinkTech 40CB Series Elbow Plug, Non-valved, 1/4" HB Chrome Brass, NSF 61 Buna N



40ACV-SB17-04N3 LinkTech 40AC Series Inline Socket, Valved, 1/4" HB NSF 51 Acetal, NSF 61 Buna N



40CBV-PB1-04N3 LinkTech 40CB Series Male Thread Male, Valved, 1/4" MNPT Chrome Brass, NSF 61 Buna N



NSF Certified Series



40 SERIES QUICK CONNECT COUPLINGS (CONT.)



40CBV-SB3-06N3 LinkTech 40CB Series Panel Mt. Socket, Valved, 3/8" HB Chrome Brass, NSF 61 Buna N



40CBV-SB9-06N3 LinkTech 40CB Series Inline Socket, Valved, 3/8" PTF NSF 51 Acetal, NSF 61 Buna N

50 SERIES QUICK CONNECT COUPLINGS



50ACV-PE2-06N3 LinkTech 50AC Series Inline Plug Valve, Valved, 3/8" HB NSF 51 Acetal, NSF 61 EPDM



50ACV-SB2-06N3 LinkTech 50AC Series Straight Female, Valved, 3/8" HB NSF 51 Acetal, NSF 61 Buna N

60 SERIES QUICK CONNECT COUPLINGS



60PP-S2-06N3 LinkTech 60PP Series Inline Socket, Non-valved, 3/8" HB Polypropylene



60PPV-SE2-08N3 LinkTech 60PP Series Straight Female, Valved, 1/2" HB Polypropylene, NSF 61 EPDM



NSF Certified Series



60 SERIES QUICK CONNECT COUPLINGS (CONT.)



60PPV-SE3-08N3 LinkTech 60PP Series Panel Mt. Female, Valved, 1/2" HB Polypropylene, NSF 61 EPDM



60PSV-SE2-06N3LinkTech 60PS Series Straight Female,
Valved, 3/8" HB
Polysulfone, NSF 61 EPDM



60PSV-PE2-06N3 LinkTech 60PS Series Inline Plug, Valved, 3/8" HB Polysulfone, NSF 61 EPDM

