

WATER FILTERS FILTRATION SYSTEMS

Item # _____

Project: _____

Qty: _____

*AutoCad available on KCL

WATER FILTERS

6/06

Item # 13076

HC FILTER
Single, Double, Triple

HF FILTER
Single, Double, Triple, Quad

E-10 PREFILTER

E-20 PREFILTER



HC Filter

Available in single, twin and triple configurations



HF Filter

Available in single, twin, triple and quad configurations

- Keep ice makers functioning at full capacity
- Reduce up to 99.9% of disinfectant chlorine from incoming water supply, eliminating off tastes and odors of the ice
- HF Filter will filter out dirt and rust particles as small as 1/2 micron producing crystal clear ice (99+% reduction)
- Decrease machine maintenance by reducing lime scale build-up



Warranty

Warranty offered by EVERPURE (Effective Sep. 2, 2003)
Five Year - On all heads offered.



Hoshizaki

WATER FILTERS FILTRATION SYSTEMS

- **HC Filter** (Single, double, & triple configurations)
- **HF Filter** (Single, double, triple & quad configurations)
- **E-10 Prefilter**
- **E-20 Prefilter**

CUBER APPLICATION

Size	Hoshizaki HC Filter Class 1 Taste & Odor Coarse Filtration	Hoshizaki HF Filter Class 1 Taste & Odor Fine Filtration	Flow Rate	
			HC	HF
Up to 250 lbs.	Single	Single	2.1	1.4
250 - 500 lbs.	Single	Twin	2.1	2.8
630 lbs.	Single	Twin	2.1	2.8
700 - 900 lbs.	Twin	Triple	4.2	4.2
900-1,250 lbs.	Twin	Triple	4.2	4.2
1,300-2,400 lbs.	Triple	Quad	6.3	5.6

FLAKER APPLICATION

Model	Filter Type
Up to F-1001	HF Single
F-2000	HF Twin

NSF INTERNATIONAL STANDARDS - HC FILTER



Standard No. 42: Aesthetic Effects Chemical Unit

Tested and Certified to ANSI/NSF Standard 42

Taste and Odor reduction and Chlorine reduction: Class 1

NSF INTERNATIONAL STANDARDS - HF FILTER



Standard No. 42: Aesthetic Effects Chemical Unit

Tested and Certified to ANSI/NSF Standard 42 & 43

Taste and Odor reduction and Chlorine reduction: Class 1

Mechanical Filtration Unit

Particulate reduction: Class 1 (99.9+% reduction of particles one-half micron and larger in size)

Standard No. 53: Health Effects

Mechanical Filtration Unit
Cyst reduction
Turbidity reduction
Asbestos reduction

The HC and HF Filters and their respective cartridges have been tested and listed by NSF only for the functions listed above. Check for compliance with state and local laws and regulations. Do not use where the water is microbiologically unsafe, or with waters of unknown quality without adequate disinfection before or after the unit. The HF filter can be used with water that may contain filterable cysts.



HOSHIZAKI HC FILTER

Available in single, twin, and triple configurations. Rated NSF Class 1, STD 42, for taste, odor and chlorine reduction. The HC Filter is not recommended for use with Flakers.



HOSHIZAKI HF FILTER

Available in single, twin, triple and quad configurations. Rated NSF Class 1, STD 42, for taste, odor and chlorine reduction and for mechanical filtration (99.9+% removal of particles 1/2 micron and larger in size.) Also takes out cysts, turbidity and asbestos fibers with sub-micron filtration.



E - 10
PREFILTER



E - 20
PREFILTER

E-10 and E-20 Prefilters can be used for post mix applications. Everpure prefilters are designed to increase the life of Everpure pre-coat water filters in areas with an unusual amount of dirt in the water. With a 10 micron (nominal) rating, the economical Everpure prefilter traps much of the dirt which contributes to scale buildup in ice makers, and clogs the delicate orifices of other water-using equipment.

When you install an Everpure prefilter, the pre-coat filters can concentrate on what they do best: remove particles 1/2 micron and larger in size.

