

PUSH-TO-CONNECT ALL PLASTIC FDA COMPLIANT FITTING, PARKER TRUESEAL

✉ Email 🖨 Print



**Click for
Larger View**

Parker's TrueSeal push-in tube fittings are manufactured from FDA compliant materials and are NSF-51 listed for contact with food. Gray acetal fittings meet NSF-61 requirements for potable water.

⚠ WARNING: This product can expose you to chemicals including **Carbon black (airborne, unbound particle)** which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

PART NUMBER:

FB4TCB4

SHAPE:

Connector

STYLE:

Tube to Barb

BODY MATERIAL:

Black Kynar®

CONNECTION 1 TUBE O.D. (INCH):

na

CONNECTION 1 TUBE STEM O.D. (INCH):

1/4

CONNECTION 1 STYLE:

Tube Stem

CONNECTION 2 TUBE O.D. (INCH):

na

CONNECTION 2 THREAD SIZE (INCH):

na

CONNECTION 2 TUBE STEM O.D. (INCH):

na

CONNECTION 2 TUBE I.D. (INCH):

1/4

CONNECTION 2 STYLE:

Barb

[Reset Attributes](#)**WHERE TO BUY****PRODUCT OVERVIEW**

+

TECH SPECIFICATIONS

-

[Print Tech Specifications](#)**PERFORMANCE CHARACTERISTICS****MINIMUM OPERATING TEMPERATURE**

0 °F

-18 °C

MAXIMUM OPERATING TEMPERATURE

275 °F

135 °C

MAXIMUM OPERATING PRESSURE

300 psi

20 bar

TUBE MATERIAL

Polyethylene, Polypropylene, Nylon, Vinyl, Fluoropolymer, Polyurethane

MEDIA

Air, Water, Soft Drinks, Beer, Wine, Dyes

APPLICATION

Filtration, Food Process, Dispensing, Medical, Water Purification

O-RING MATERIAL

Fluorocarbon

SPECIFICATIONS MET

FDA, NSF-51

CONNECTION TYPE

NPTF,UNF-2B

Print Tech Specifications

FAILURE OR IMPROPER SELECTION OR IMPROPER USE OF THE PRODUCTS DESCRIBED HEREIN OR RELATED ITEMS CAN CAUSE DEATH, PERSONAL INJURY AND PROPERTY DAMAGE. This document and other information from Parker-Hannifin Corporation, its subsidiaries and authorized distributors provide product or system options for further investigation by users having technical expertise. The user, through its own analysis and testing, is solely responsible for making the final selection of the system and components and assuring that all performance, endurance, maintenance, safety and warning requirements of the application are met. The user must analyze all aspects of the application, follow applicable industry standards, and follow the information concerning the product in the current product catalog and in any other materials provided from Parker or its subsidiaries or authorized distributors. To the extent that Parker or its subsidiaries or authorized distributors provide component or system options based upon data or specifications provided by the user, the user is responsible for determining that such data and specifications are suitable and sufficient for all applications and reasonably foreseeable uses of the components or systems. [Click here to view all product safety information.](#)

PRODUCT SUPPORT**RECOMMENDED**

LIQUIfit Fittings



Industrial Push-to-Connect Cartridges



Polypropylene Ball Valves

FOLLOW US

Follow Parker Hannifin on social media:

